

UU640C

Simple Content Management



Embedded Content Management & Group Management

The embedded Content Management & Group Management System allows you to edit and play content, schedule a playlist and even group and control signages via remote control, mouse or even mobile phone, without needing a separate PC or software. This makes content management much easier and user-friendly.



- * The scenes are simulated for illustrative purposes. Actual GUI may differ from the accompanying image
- ** All displays must be connected to the same network.

USB Data Cloning

USB data cloning makes managing multiple displays more efficient for optimal operation, since users don't have to set up each display one by one. Once users copy data to a USB in one display, it will be easily distributed to others through a USB plug-in.




UU640C

Value-added Software Solution



SuperSign Control

SuperSign Control is a basic control software. Up to 100 displays are controlled by one account with a single server. Essential factors such as power, volume, scheduling can be remotely adjusted, with firmware updates supported.



Perfect picture quality and color

Enjoy Full HD content in 4K ULTRA HD quality by 4K Upscaler. The 4K Upscale automatically upgrades Full HD content to ULTRA HD through several steps of the upscaling processes. And also this LG TV can deliver intense highlights, vivid colors and deep black on the screen by HDR10.



- * SuperSign Control : Free version (Good at Operating small and medium-sized signage displays)
- * SuperSign Control+: Advanced and Paid version (Good at Operating large-scale signage displays)
- * See more for SuperSign Control+ at LG.com/B2B

UU640C

Easier Maintenance



Real-Time Remote Monitoring

In case of malfunctions or errors, real-timeremote care is available. When an error occurs, a notification can be sent through the SNMP (Simple Network Management Protocol) protocol.



Power & Network in One Line

WOL (Wake-on-LAN) enables users to send a message through network to turn on displays. This greatly simplifies the installation and maintenance processes as only a single wire is required for power and network connection.



Power

Data

UU640C

Better Usability - Meeting room



Compatibility with AV Control Systems

This LG TV has Crestron Connected® Certification, a function that is dedicated to meeting room and that meets the growing need in corporate meeting space market.



* It is a network based control system.


Available AV control systems may differ by regions.

DPM (Display Power Management)

From now on, you can configure the DPM^(Display Power Management) function by setting the function to on. When there is no signal, the TVs enters to DPM mode to manage power efficiently.





Dimensions



^{*} UU640C (EU/CIS) series basically have a two-pole stand, but it is able to detach the stand from the body, per service environment (can be used as a wall-mount unit).

Connectivity





^{*} Dimensions & Jack Panels (Read/Side) may differ from the above image, so please contact LG salesteam to verify before ordering.

Специо	фікації —	70UU640C	60UU640C	55UU640C	49UU640C	43UU640C
дисплей	Розмір	70"	60"	55"	49"	43"
	Тип підсвітки	LED (Direct)	LED (Direct)	LED (Direct)	LED (Direct)	LED (Direct)
	Розподільча здатність	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)
	Яскравість (кд/м²)	400	350	500	400	400
	Динамічне відношення контрасту (Гц)	1,000,000:1	1,000,000:1	1,000,000:1	1,000,000:1	1,000,000:1
	Static (Panel) Contrast Ratio	4,000:1	4,000:1	1,300:1	1,200:1	1,200:1
	Кут огляду (Г х В)	176 x 176	176 x 176	178 x 178	178 x 178	178 x 178
	Час відклику (тсек)	8	8.8	9	8	6
СИСТЕМА МОВЛЕННЯ	Аналогова	• (PAL/SECAM)	• (PAL/SECAM)	• (PAL/SECAM)	• (PAL/SECAM)	• (PAL/SECAM)
	Цифрова		•		•	
відео	XD Engine			•		•
	Формати зображення	• 6 режимів (16:9, Original, Full Wide, 4:3, Vertical Zoom, All-Direction Zoom)				
	HDR 10 / HDR Dolby Vision	•/-	•/-	•/-	•/-	•/-
АУДЮ	Аудіо вихід	10 Вт + 10 Вт	10 Bt + 10 Bt	10 Вт + 10 Вт	10 Bt + 10 Bt	10 Вт + 10 Вт
	Система динаміків	2.0 канальна	2.0 канальна	2.0 канальна	2.0 канальна	2.0 канальна
	Режими звуку	• 6 режимів (Standard, Cinema, Clear Voice III, Sports, Music, Game)				
	Clear Voice	• (Clear Voice⊠)	• (Clear Voice⊠)	• (Clear Voice⊠)	• (Clear Voice⊠)	• (Clear Voice⊠)
	Dolby Atoms	-	-	-	-	-
	Адаптивний звуковий контроль					
	One Touch Sound Tuning	-	-	-	-	-
	Аудіо канал					
SMART ВЛАСТИВОСТІ		webOS 4.0, Smart Home (Launcher Bar), Web Browser, Pre-loaded App (Youtube Only), Soft AP, Wi-Fi (ac), Screen Share (Miracast), DIAL, Bluetooth Audio Playback, LG Sound Sync/Bluetooth, Mobile Connection Overlay, Music Player				
СУМІСТНІСТЬ ПЗ SuperSing		Content Management Software (CMS), Control and Monitoring Software (Control/Control+)				
УНКЦІЇ			USB Cloning, WOL (Magic Packet Onl	y), SNMP, Diagnostics, SI Compatible, HTNG-CEC (1.4), HDMI-	CEC (1.4), IR Out, Multi IR Code, BEACON	
ГОТЕЛЬНІ ВЛАСТИВОСТІ		Hotel Mode / PDM / Installer Menu, Lock Mode (Limited), One Channel Map, Welcome Screen, Insert Image, External Speaker Out, RJP Interface, RJP Compatibility, Time Scheduler, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, Crestron Connected (Network Based Control), DPM, Embedded Content Manager/Group Manager, RTC, NTP Sync Timer, Healthcare Headphone Mode				
ІНТЕРФЕЙС	Боковий	HDMI In 2.0 (2), USB 2.0, CI Slot	HDMI In 2.0 (2), USB 2.0, CI Slot	HDMI In 2.0 (2), USB 2.0, CI Slot	HDMI In 2.0 (2), USB 2.0, CI Slot	HDMI In 2.0 (2), USB 2.0, CI Slot
	Зворотній	RF In (2), Digital Audio Out, HDMI/HDCP Input 2.0, RS-232C (Pho ne Jack Type, Control & Service), Headphone Out, RJ45, Debug (Phone Jack Type)				
ГАБАРИТИ (mm)	VESA	600 x 400	300 x 300	300 x 300	300 x 300	200 x 200
	Ш x B x Г / вага (з підставкою)	1,573 x 980 x 297 / 33.2 kg	1,368 x 857 x 255 / 19.6 kg	1247 x 785 x 231 / 13.9 kg	1,110 x 709 x 231 / 11.3 kg	977 x 629 x 216 / 8.4 kg
	Ш x B x Г / вага (без підставки)	1,573 x 910 x 42.8 (SPK: 69.0) / 32.5kg	1,368 x 796 x 78.5 (SPK: 89.1) / 19.4kg	1,247 x 729 x 74.3 (SPK: 88.6) / 13.7kg 1,110 x 650	0 x 72 (SPK: 81.1) / 11.1kg 977 x 575 x 71.7 (SP	K: 80.8) / 8.3kg
	Ш x В x Г / вага (упаковки)	1,682 x 1,075 x 175 / 41.3 kg	1,492 x 880 x 190 / 25.3 kg	1,360 x 835 x 175 / 18.5 kg	1,193 x 770 x 158 / 13.4 kg	1,060 x 660 x152 / 10.5 kg
ПОТУЖНІСТЬ (Вт)	Напруга, Гц	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz
	Максимальна	233.5	TBD	149.3	133.5	117.7
	Типова	207.2	TBD	124.1	107.9	92.2
	Energy saving (Min/Med/Max)	137 / 89 / 35	TBD	88 / 63 / 35	75 / 55 / 33	68/52/33
	Stand-by	0.3	0.3	0.3	0.3	0.3

 $^{1) \,} Software \, compatibility \, may \, change \, over \, time. \, Please \, contact \, LG \, sales \, representative \, for \, details.$

^{*} Specifications are subject to change without notice, so please contact LG salesteam to verify before ordering.



LG B2B Ukraine str. Novokonistyninovskaya 2 04080 Kyiv, Ukraine E-mail: info@lg-b2b.com.ua www.lg-b2b.com.ua www.lg-b2b.com.ua https://www.facebook.com/LGB2BUkraine
All screen images are simulated. Dimension and weights are approximate.
Design, features and specifications subject to change without notice.

© Copyright 2019 LG Electronics Inc. All Rights Reserved. Pro:Centric, the "LG" logo, are registered trademarks or trademarks of LG Electronics Inc. All other trademarks or registered trademarks are the property of their respective owners.

